

Beneteau Swift Trawler 47 (2020)



Beneteau Swift Trawler 47 is for sale This well-equipped example of the Beneteau Swift Trawler 47 model was built by the Beneteau shipyard and delivered to the first owner in 2020. The boat is powered by 2 x 425 hp Cummins QSB6.7 engines (0 engine hours on each) giving it a maximum speed of 20 knots, while comfortably cruising at 26. Featuring accommodation for 6 guests in 3 spacious cabins, Beneteau Swift Trawler 47 boasts extensive specifications with numerous additional extras.

General

Year: Price: Additional Charges: Boat Type: Hull Type:		€750 Plus Powe	2020 €750,000 Plus GST, Duty & Freight Power Trawler		
Location:	Offsh		nore		
Engine/Fuel:			iesel		
Hull Material:		GRP			
Dimensions			Engines		
Length:	44 ft		No. of Engines:	2	
LOA:	14.74m		Engine Brand:	Cummins QSB6.7	
Beam:	4.4m		Engine(s) HP:	425 hp	
Draft:	1.15m		Cruising Speed:	18 knots	
			Max Speed:	26 knots	
			Hours:	560 hours	
Builder / Designer			Tankage		
Builder:	Beneteau		Fuel:	1930 litres	
Designer:	Michel Joubert		Water:	640 liters	
Other Details:	Pierre Frutsch		Holding:	Yes	

Electrical System

Hull Composition:

- Sandwich (Polyester resin Glass fiber / Balsa core)
- White gel coat
- Structural hull counter molding in monolithic laminate (Polyester resin -Glass fiber)

Profile:

• Semi-floating hull

- Electrical panel 12 V / 220 V
- 220 V shore power
- 8 220 V Sockets (2 in the lounge, 2 in the galley, 1 in owner's cabin, 1 in the guest cabin, 1 in the forward head, 1 in aft washroom), + 2 for TV (Saloon + Owner's cabin)
- 2 double antenna sockets (TNT SAT)
- 2 12V 140Ah battery service
- 4 12V 50Ah engine start batteries
- 2 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 2 12 V Sockets
- Outside and inside lighting LED (Overhead lights, Reading lights)
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

Hull

- Composition:
 - Sandwich (Polyester resin Glass fibre / Balsa core)
 - Structural counter moulding in monolithic laminate (Polyester resin
 Glass fibre)
 - White gel coat
 - Diamond tip type non-slip covering
 - Stainless steel guard sheer rail on the hull
 - Teak bulwarks
 - Gangway door to starboard

- MOORING LINES MOORING
 - $\circ\,$ Stainless steel bow fitting
 - $\circ\,$ Stainless steel anchor platform
 - $\circ\,$ Bow stainless steel protection
 - 1000 W Vertical electrical windlass, upwards / downwards movement and remote control from windlass, wheelhouse and flybridge
 - 6 Aluminum mooring cleats (L 400mm / 15 - ³/₄ ")
 - Stainless steel gunwale guards
 - 2 Stainless steel fairleads to the aft of the cockpit
 - 2 Self-draining compartments with teak-slatted hatch covers

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- 1 Leather sheathed stainless steel handrail in cockpit deckhead
- 1 Stainless steel handrail at the entrance to port side deck

- Woodwork Alpi Mahogany (optional extra: Walnut version)
- Parquet type laminated floors (optional extra: Rovere type laminated floorboards)
- Mole Cushions

SALOON

- Headroom: 1.98 m / 6'6 "
- Convertible sofa to double berth
- Dividing rail and curtains for a berth
- Stool
- 2 Folding armchairs
- Semi-folding, adjustable height, varnished wood saloon table
- Storage cupboards
- Shelving
- 3 leaved aft window door with black lacquered aluminum frame
- 1 Leather-covered handrail on the deckhead

GALLEY

- Headroom: 1.98 m / 6'6 "
- U-shaped galley with opening window Includes:
- Corian
 Sagebrush countertop with sink cover
- 2 Stainless steel sinks with cold/hot water mixer taps under pressure
- Gas oven
- 3-burner hob and oven with a protective glass cover
- 130 L front opening fridge (12 V)
- Cutlery drawer
- Stowage and drawers
- Bin

OWNER'S CABIN (FORWARD)

- Headroom: 1.92 m / 6'4 "
- Double berth (2.06 x 1.60 m / 6'9 " x 5'3 ")
- Marine mattress
- Storage under berth
- Stowage on both sides of the berth
- Mirror
- 2 Hanging cupboards with lighting
- 1 Opening deck hatch with fitted mosquito net
- 2 Opening hull portholes with blackout curtains

HEAD (STARBOARD - FORWARD)

- Headroom: 1.98 m / 6'6 "
- Mirror with backlighting
- Cupboard
- Open stowage locker
- 1 Opening deck hatch with fitted mosquito net
- Inset resin basin
- Separate shower compartment with a fold-down seat over WC
- Quiet flush electric toilet
- Stowage

GUEST CABINS (PORT SIDE)

- Headroom: 1.98 m / 6'6 "
- Double berth (1.96 x 1.45 m / 6'5 " x 4'9 ")
- Marine mattress
- 4 Drawers
- Cupboards
- Storage under berth
- 2 Opening hull portholes with blackout curtains

HEAD (STARBOARD - AFT)

- Headroom: 1.98 m / 6'6 "
- Mirror with backlighting
- Cupboard
- 2 opening portholes
- Quiet flush electric toilet
- Inset resin basin
- Mix tap
- Shower

- Hydraulic swimming platform
- Dual station stern thruster
- Wheelhouse bench
- Quantum radar
- Mosquito nets for portholes
- Wet bar with grill on fly
- Teak in cockpit, on steps to fly and swimming platform
- Gas hob
- Oven
- White hull
- Rear camera
- Raymarine cartography Europe
- Bow sunbathing mattress
- Air conditioning
- Generator Pack
- Electronic Pack
- Mooring kit
- Bimini on fly
- Telescopic gangway

Flybridge

- Hydriaddie seefebiaiding
- Strainhorss steel staircase and access ramp
- to211/ysocicloget with teak treads
- Grady trist table eviptiles createn ib phonethery Twin
- AcolocessedvialianMathAehStochm & Snow PVC
- Stadjlesstalske ebpolitive is insear to hop patt of win troe of urbed give mante Storm & Snow PVC
- FWytitiedgecpathoed sovjoogtnoasisistanggaftion sightperableting, seadavith integral lockers,
- Acerticalscalahedteleksktadepletägelekt upholstery twin
- Coelotraelostolieming not or Stollern & Snow PVC
- Gentrohitamith isiclki, dinagn Ellaic, tracad stogrivage
- SeparcelsonElifectriad: withblattaindeastrateel fixingsteerlaptatelaps
- Gauges indicators
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass

- Self-bailing cockpit
- Teak gunwales
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas bottle integrated into the staircase
- Cockpit shower hot / Coldwater
- Cockpit access door
- Bathing platform with natural teak overlay and stainless steel rubbing strake (3.41 x 1.00 m / 11'2 " x 3'3 ")
- Ergonomic bathing ladder with handholds in the bathing platform
- 1 Access door to starboard side deck from cockpit with gray-tinted port

Additional Images

