



Selene 62 Ocean Express - New Model Coming Soon

Description

Selene 62 Express: A Pinnacle of Elegance, Range, and Luxury Discover the exceptional Selene 62 Express, a yacht that seamlessly blends sophistication, extensive range, and unparalleled luxury. Explore the remarkable features of this prestigious vessel: Design and Features The Selene 62 Express showcases sleek lines and a refined aesthetic, marking a

General

| | |
|---------------------|--------------------------|
| Year: | 2024 |
| Price: | US\$2,680,000 |
| Additional Charges: | Plus GST, Duty & Freight |
| Boat Type: | Power |
| Hull Type: | Semi Displacement |
| Location: | New Boat |

departure from the traditional Selene design.

Key Features: Raised Pilothouse: Provides excellent visibility...

Find the perfect anchor for your boat

Engine/Fuel: Diesel

Hull Material: GRP

Dimensions

| | |
|-------------------|-----------|
| Length: | 62 ft |
| LOA: | 20.71m |
| LWL: | 18.75m |
| Beam: | 5.69m |
| Draft: | 1.65m |
| Bridge Clearance: | 8.1m |
| Displacement: | 48 Tonnes |

Builder / Designer

| | |
|-----------|-------------|
| Builder: | Selene |
| Designer: | Howard Chen |

Construction

- Superstructure with vacuum bagging
- Vinylester resin at the hull and ISO resin at deck & F/B before core material
- Cook gel coat light tan for the non-skid
- Double with moulded upper & lower rub rail capped with S/S rub rail

Foam structural bulkheads and cabin sole padded and bonded as per schedule
Integral swim platform with extended hull underneath
Recessed bow thruster tunnel

Interior

FOUNDATIONAL MATERIALS

- Light teak (straight grain)
- S/S #316 telescope swim ladder
- S/S #316 telescope swim ladder
- Transom gates swing-out

Find the perfect anchor for your boat

- Afterdeck side gates
- Storage locker inside Portuguese bridge 5
- Portuguese bridge access gate to the foredeck
- Deck moulded inlay pattern non-skid to fore, side, aft, fly ridge decks and swim platform
- Teak burgee and flagstaffs □ Freeing port for fore, side and aft.
- S/S #316 bow and stern flag pole socket
- Teak cap rail for aft. Deck
- Portuguese bridge access gate to the foredeck
- S/S #316 self-lock type exterior gate handles
- Cantalupi LED exterior dome lights
- Cantalupi LED exterior courtesy lights
- International anti-fouling bottom paint
- International Gel shield primer coating
- Awl-grip boot top line

Pilothouse

- Helm station w/ complete engine instrument
- panels with alarm rock switch panel for function
- Overhead electronics locker above the helm station
- Inside access to flybridge stbd. side with S/S
- hatch door from P/H
- The electronic engine control system
- One Selene brand pilot seat
- Diamond Sea-glaze or (equivalent) for pilothouse Stb side
- Cantalupi LED step lights
- Steering and engine controls, with 24" teak
- steering wheel
- Ritchie Compass (Option)
- Horn control
- Wiring routes to facilitate equipment installation
- Backlit electrical & Battery Master Switch panel
- Alarm and advisory panel

- Mimic panels
- Teak table with single stainless steel leg
- Exalto Wiper
- Control for bow thruster (Option)
- Air-conditioning (Option)
- Generator start/stop & digital control panel
- Windlass up/down switch & control circuit
- breaker
- Fire system and high-level bilge alarms
- Bilge pump control switches on the mimic panel

Accommodation

FORWARD STATEROOM / VIP STATEROOM

- Queen-size berth w/ 5" foam mattress
- Front and side cabinets 7
- Hanging lockers w/ automatic light
- Wood countertop
- Cabin LED reading lights
- Cantalupi LED dome lights
- S/S #316 hatch
- S/S #316 opening portlights

FORWARD / VIP HEAD

- Tecma fresh water toilet
- Shower room w/ teak removable grating panel
- Cantalupi LED dome lights
- Tempered clear glass shower clear door
- Vanity unit w/ integral washbasin

MASTER STATEROOM

- Queen-size berth w/ 5" foam mattress
- Side cabinets and bureau drawers
- Cedar-lined wardrobe w/ automatic light
- TV cabinet
- Wood veneer countertop
- Cantalupi LED reading lights
- Cantalupi LED dome lights
- Mirror w/ teak frame
- S/S #316 opening portlights

MASTER HEAD

- Tecma fresh water toilet
- Johnson dia. 3" exhaust fan
- Cantalupi LED dome lights
- Corian countertop and splash

- Vanity unit w/ integrated washbasin
- Tempered clear glass shower door
- Mirror w/teak frame 8
- Grohe single lever hot/cold water shower faucet
- Shower room w/ teak removable grating panel
- Granite floor (or teak and holly floor with teak
- boarder)
- S/S #316 tissue paper holder
- S/S #316 opening portlights

Saloon

- L-shaped settee w/ upholstery,with file drawer
- and hatches for storage
- Hi-lo dining table
- Pre-wiring for A/V system
- TV cabinet
- Cantalupi LED dome lights
- Cabin LED reading light

S/S one pies sliding rear doors with fixed glass
 windows for salon entrance
 Overhead window glass, tinted 1/4" side & rear
 Teak overhead grab rail
 Tempered window glass, tinted 1/4" side & rear
 Self-lock window stopper
 Smoke & Co detector (Option)

Gallery

- Corian Countertop w/ backsplash
- Drawers & cabinets lined with Formica
- Electric exhaust fan above the stove
- Grohe single lever swivel type faucet
- S/S #316 double sink
- Cabinet with slides out shelves for bottle and glass storage

Cantalupi LED ceiling lights
 Siemens stove microwave
 Force 10 gas stove
 Siemens electric cooktop (Option)
 Siemens electric oven (Option)
 Full high galley refrigerator 6
 Ice-maker (Option)
 Torrid 20 gal water heater
 Emergency access to engine room thru

- Lamp push-button latches on all doors and drawers
- Overhead cabinet with louvre doors
- Teak & holly sole

cabin sole

Exterior

- S/S #316 grab rail
- Manship open hatch from the flybridge to the pilothouse
- FRP BBQ cabinet
- Washbasin w/folded faucet
- FRP radar arch 2
- One Selene helm seat
- Chart countertop
- Tinted plexiglass windscreen with S/S #316 bracket
- Dinghy space on the flybridge deck
- Table and L-settee with Sunbrella marine upholstery, hatch with storage underneath
- Boat deck drain to the waterline
- FRP hardtop with lights (option)
- Large hull windows in the master stateroom

AFT DECK AREA

- Entrance Bureau w/ hatch and stair to the engine room. (Option)
- Integral FRP Swim step, moulded non-skid surface. Stainless steel rub rail
- Storage locker in Step on Swim Step
- Stainless steel telescopic swim ladder.

Portuguese Bridge

- Locker doors in aft face of Portuguese bridge, access to large vented storage
- 316-grade stainless steel handrails at the side of pilothouse port & stbd
Hinged doors through Portuguese bridge to foredeck – stbd
- Individual Screenwash and heavy-duty self-parking wipers on the windshield
- Clear, tempered 12 mm glass, in forward-facing windshields Pilothouse windows, are fixed.
- Blackwater tank suck out deck fitting on port and stbd sides
- Chain locker □ Divider for port & stbd anchor chains
- Watertight collision bulkhead
- Fore-peak drains directly overboard.
- Hatch scuppers
- High gloss poly paint finish
- Fwd Shore power ELCI circuit breaker

FWD DECK

- CE approved stainless steel hatch/skylight for the forward cabin

- Stainless steel stanchions to support stainless steel handrail
- Stainless steel oval handrail
- Deep deck lockers either side of anchor platform with the non-skid finish on lids
- FRP anchor platform with the molded non-skid finish and two sets of rollers
- 24v DC Maxwell windlasses with pendant control and remotes at both stations (P/H & F/B)
- Two stainless steel chocks on port and stbd sides
- 316-grade stainless steel pulpit. Welds ground and polished.
- Shore-power inlet for 220v, 60Hz, 50A, (European model 230v, 50 Hz, 32A)
- Saltwater 316 stainless steel faucet inside fore-deck lockers
- Freshwater 316 stainless steel faucet inside fore-deck lockers
- Deck drains plumbed to boot-stripe to prevent black streaks
- Settee in FWD Deck

- Galley window sliding with tinted, tempered glass
- Stainless steel cleats/chocks per side recessed into bulwarks
- Fuel fill fittings for both fuel tanks in recessed boxes on Port & Stbd house side

Flybridge

- | | |
|---|---|
| <ul style="list-style-type: none"> • Helm station in centre w/ console box • S/S#316 destroyer type steering wheel • Vinyl and EVA foam panels for ceiling lining • Waterproof power socket 4 • Epifanes one part varnish for interior • One Selene FRP helm seat (2nd one is an option) • Steering console with engine • Electronics console • Engine instrumentation • Ritchie Compass (Option) | <ul style="list-style-type: none"> • Flybridge cushions on settees and helm-seat • using foam with Sunbrella upholstery and mesh • backs for drainage Ø Prefix snaps for attaching • cushions • L-Settee port side with high seatbacks • FRP fixed table • Kahlenberg D-0A Air horn with twin trumpets • FRP Radar arch with LED overhead lights • Stainless steel railings with mid safety rail • Steelhead Davit (Option) |
|---|---|

Engine

- | | |
|---|---|
| <ul style="list-style-type: none"> • Twin Cummins QSC8.3 500HP@2,300RPM diesel engines • ZF Electronic engine control system at each helm station • Deluxe engine panel w/ complete instrumentation and alarms • Engine overheat and low oil pressure alarm • Aqua Alloy #22 propeller shaft | <ul style="list-style-type: none"> • Bronze V & intermediates struts • Faster Nialbr 4 blade propeller • Dometic 9" engine room blowers • FRP wet box muffler • S/S #316 rudder with S/S #316 rudder shaft • Fluorescent light for E/R and lazarette • S/S #316L exhaust raisers, "BUTTON" type insulation cover |
|---|---|

- Engine high-temperature alarm
- Engine room high water level alarm
- FRP drip pan under the main engine
- Engine room fuel tank
- Engine starting batteries with boxes
- Trim tabs at the aft.

Electrical System

AC ELECTRICAL SYSTEM

- 120V AC and 240V AC system
- Whisper Power 12KW generator w/ sound shield, muffler and remote start switch panel located in P/H, including dedicated 120 Amp/hr starting battery in FRP box with lid 9
- D80 Amp engine alternator
- Victron 100amp battery charger for house bank, one 30amp battery charger for starting bank
- 220V 50hz 63Amp shore power inlets
- Zinc saver for shore power protection
- Five-point select switches for A/C 220V panel
- AC/DC control panel w/ polarity indicator lights, appropriate switches, meters and breakers
- Copper bonding strap w/ ground cable attachment for each fitting
- Marvair air conditioning units 57,000BTU (Option)
- Combo washer & dryer DC

- 24V DC system
- Kahlenberg horn
- Exalto DC electric wipers for 3 front windshields including freshwater wash
- Johnson automatic water pressure pump with accumulator tank
- Johnson sump pumps w/ ultra float switches
- Vision 800AMP 24V batteries for house service, 200AMP 24V engine and 150AMP 24V generator starting
- Cantalupi LED accommodation dome lights
- Step lights for interior and exterior
- Cabin LED reading lights
- Eight DC 24V exterior lights and nine exterior safety lights at foot level
- Aqua signal navigation lights & searching lights
- Monitor panel
- Four DC 24V engine room lights
- One bilge water alarm
- Side power 13HP bow & stern thruster (Option)
- Whisper 4KW inverter (Option)

- TV and Tel shore inlets
- Transom underwater light (Option)
- Frigoboat built-in freezer.

Fuel System

- Total capacity 900 gallons, two FRP fuel tanks w/ internal baffles, sumps, balancing lines, inspection ports & plates
- Racor 75/1000 Max dual fuel filter / water separator for main engines
- Racor 500 Max single fuel filter/water separator for generator
- ESI fuel polishing system
- Reverso oil change system 10
- CE certified fuel line

Optional Extras

- Twin Cummins QSM11 715 HP
- Hardtop
- Lowered aft fishing cockpit
- Teak on platform
- Teak on aft cockpit and sidewalks
- Sidepower electric 13hp bow and stern thrusters
- Power steering □ Third control station in aft cockpit
- Second Whisper Power 12 KW generator
- Steelhead ES 1000 crane on flybridge
- Air conditioning
- Kenyon barbecue on the flybridge
- Vitrifrigo drawer refrigerator on the flybridge
- Siemens electric cooktop and oven in the galley
- Whisper Inverter 4 kw
- Ritchie compasses *2
- Fireboy automatic fire extinguisher
- 2nd Selene flybridge chair
- Preparation for water-maker
- CE European certification
- Trac 220/6, X Hydraulic stabilizers ZERO speed

Additional Images



