



Tel: +64 9 377 3328 Fax: +64 9 377 3325 info@yachtfindersglobal.co.nz









Selene 92 Explorer

Description

The Selene 92 Expedition Yacht represents a harmonious blend of modern design, seaworthiness, and luxury. Let's explore some of its features in more detail: Design Collaboration: The Selene 92 was created through an international collaboration, with Howard Chen's design team leading the effort. Dutch architect Guido de Groot and other consultants

General

| Year: | 2025 |
|---------------------|--------------------------|
| Price: | US\$5,976,000 |
| Additional Charges: | Plus GST, Duty & Freight |
| Boat Type: | Power |
| Hull Type: | Trawler |
| Location: | Auckland |
| | |



contributed to the yacht's design. The result is a contemporary long-range vessel...

| Find | the | perfect | anchor | for | your | boat |
|------|-----|---------|--------|-----|------|------|
| | | | | | | |

| Engine/Fuel: | Diesel |
|----------------|--------|
| Hull Material: | GRP |

Dimensions

| Length: | 92 ft |
|---------------|---------|
| LOA: | 27.93 m |
| Draft: | 2.29 m |
| Displacement: | 158 ton |

Engines

| No. of Engines: | Two |
|-----------------|---------------|
| Engine Brand: | MTU Series 60 |
| Engine(s) HP: | 475 hp |
| Cruising Speed: | 9 knots |
| Max Speed: | 11 knots |
| | |

Builder / Designer

| Builder: | Jet Tern Marine |
|-----------|-----------------|
| Designer: | Guido de Groot |


Tankage

| Fuel: | 23000 litres |
|--------|--------------|
| Water: | 800 gals |

1

- Cook gelcoat for hull, deck, superstructure & non-skid
- Vinylester resin for the first 5 layers lamination
- Barrier coat
- Cymax bi-axis uni-direction stitched roving / mat
- Taiwan Glass mat
- Core cell sandwich structure for side shell, deck
 & superstructure
- Hand laid FRP single skin hull bottom
- Longitudinal stringers & transverse frames system
- 6 watertight bulkheads (chain locker, Collision locker, After stateroom Fwd. E/R, After E/R, lazarette)

- Manship S/S #316 opening port lights w/ detachable storm cover to all port lights.
- Manship S/S #316 hatches for pilothouse & fwd. stateroom
- Oceanair hatch shade w/ insert screens privacy blinds.
- Diamond/Sea-Glaze Dutch doors for pilot house (P&S),
- S/S sliding door for salon E/R entrance
- Taco S/S #316 1-1/2" solid upper & lower dual fender rails
- S/S #316 oval shaped hand rail for fore deck & dinghy deck
- S/S #316 telescopic swim ladder 3 step.





- S/S #316 dia 2-1/2" aft. deck overhang support posts
- Stainless steel window frames
- Teak cap rail for Portuguese bridge, side deck & aft, deck
- S/S #316 bow & stern flag pole socket
- Teak burgee & flag staffs
- Freeing port for fore, side & aft. deck
- Portuguese side gate, swing out, Starboard side.
- Storage locker w/ teak removable grating panel inside Portuguese bridge
- S/S #316 self-lock type exterior gate handles
- Cantalupi exterior dome lights
- Cantalupi exterior courtesy lights

Fuel System

- Helm station in center w/ console box
- S/S #316 dia.30" destroyer type steering wheel
- S/S #316 grab rail
- S/S #316 sliding watertight door from F/B to pilothouse
- FRP locker & BBQ
- FRP hard top & radar mast
- Corian integrated wash basin w/ Scandvik folded faucet
- S/S Selene helm seat (2)
- Built-in FRP locker P& S aft of main station for optional remote controls.
- AFI 24V DC outlet
- Chart counter top

Cockpit

- FRP settee w/ Sunbrella cushion set.
- Teak table w/ S/S #316 table pedestal
- Fresh water deck wash
- Flojet saltwater wash down pump
- Dedicated spiral stair to F/B
- Steps to swim platform integrated.
- Scandvik transom shower hot / cold fresh water.
- Teak deck on swim platform, cockpit and side deck, Portuguese bridge



- Tinted Plexiglas windscreen w/ S/S #316 bracket
- Dinghy space on F/B deck
- FRP L-shaped settee P&S w/ storage underneath,
 w/ Sunbrella cushion set.
- Two FRP tables.
- Raritan #85B505-1 ice maker
- Teak deck on F/B helm station

- 316 stainless steel stanchions
- 316 stainless steel rails around aft stairway to lower deck.
- FRP bar unit.
- Scuppers and drainage system for water to lower deck.
- Storage locker under built-in settee P & S.

- Light teak or cherry veneer (straight grain or mountain grain)
- Schwepper door locks & handles for interior doors
- Lamp push bottom for all lockers doors & drawers
- Cantalupi lights system
- Vimar switch & dimmer
- Cabin reading lights
- Solid teak & holly sole w/ teak border
- Fiberglass " H " shaped floor beam
- Vinyl & EVA foam panels for ceiling lining
- Drapery for saloon & each stateroom
- Selected sliding windows w/ tinted tempered glass
- 2" latex foam laminates w/ PU foam for all cushion of sofa & berth
- Granite parquet feature in bathroom

Gallery

- L-shaped sofa w/ 5" foam cushion
- Storage underneath the sofa
- Table & corner tables
- Entertainment center w/ pop-up TV cabinet
- Cantalupi dome lights
- Cabin reading light
- S/S sliding door for saloon entrance
- Emergency hatch to engine room
- Corian or Granite bar counter top
- Teak or cherry swivel chairs
- Bamboo blinds w/ drapes
- Self-lock window stopper
- Teak and holly sole on the floor
- Tundra T-18 small fridge

- Counter top w/ integral bar
- Corian or Granite counter top & splash back
- Franke S/S #316 double sink
- Single lever swivel type retractable faucet
- Overhead cabinets
- Drawers & storage lockers w/ shelves under counter
- Trash bin w/ lid
- Cold room compressor w/ temperature control
- Teak & holy sole

10

- Liebherr 5056 refrigerator
- Dishwasher (Siemens compact) 240VAC
- Microwave (Siemens 44 litre) 240VAC
- Stove / LPG commercial galley
- Franke S/S double sink

- Day head with Tecma 24V DC freshwater toilet
- Teak and holly sole.
- Vimar outlet w/ dimmer switch

11

9

Master Cabin




- Helm station w/ instrument panel
- Upper console box above steering station
- Twin Disc electronic engine control
- Diamond/Sea-Glaze Dutch doors for P&S side
- "U" shape seat with a step underneath
- Sliding chart table w/ drawer
- S/S #316 or teak stair from pilothouse to F/B
- Manship S/S #316 hatch-2
- Oceanair hatch shade with insert screen privacy blind.
- Teak overhead grab rail
- Cantalupi red lights (2)
- Cantalupi step lights
- Cantalupi dome lights
- Daniel Smith chart light
- Cabin reading lights
- Teak & holly sole
- Two Stidd helm chairs

- Find the perfect anchor for your boat
- Queen-size berth w/ 6" foam mattress
- Side cabinets & drawer bureaus
- Full high dressing room
- Safe located at master stateroom dressing room
- Sofa at Port master cabin
- Wardrobe w/ automatic light & aromatic cedar liner
- TV / video cabinet
- Teak or Cherry veneer counter top
- Cantalupi reading lights
- Cantalupi dome lights
- Manship S/S #316 opening port lights
- Dedicated teak stairway to saloon

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Cantalupi dome lights
- Formica finish head lining & FRP bulkhead
- Corian or Granite counter top & splash back
- Manship S/S #316 opening port lights
- Vanity unit w/ integral wash basin
- One piece swing shower door

- Queen-size berth w/ 6" foam mattress
- Side cabinets & drawer bureaus
- Wardrobe w/ automatic light & aromatic cedar liner
- TV / video recess locker
- Teak or Cherry veneer counter top
- Cantalupi reading lights
- Cantalupi dome lights
- Manship S/S #316 opening port lights



YACHTFINDERS

- Windline telescopic escape ladder
- Safe in hanging locker

15

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Cantalupi dome lights
- Formica finish head lining & FRP bulkhead
- Corian or Granite counter top & splash back
- Manship S/S #316 opening port lights
- Vanity unit w/ integral wash basin
- One piece swing shower door
- Teak removable grating panel for shower room
- Single lever hot/cold water shower faucet
- Medicine cabinet w/ mirror door
- Vanity mirror w/ teak frame
- Granite parquet feature on floor
- Teak grating for shower room
- Teak or cherry wall

16

- Twin berth w/ drawer underneath
- 4" foam mattress for each berth
- Teak battens on side ceiling
- Hanging locker w/ automatic light
- Overhead cabinet
- Cabin reading lights
- Vanity bureau
- Vanity mirror w/ teak frame
- Manship S/S #316 opening port lights
- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Formica finish ceiling lining & FRP bulkhead
- Corian or Granite counter top & splash back
- Cantalupi dome lights

18

17

- Twin berth w/ drawer underneath
- 4" foam mattress for each berth

 Dedicated access from side deck to captain quarters



Find the perfect anchor for your boat

- Big Berth w/ 4" foam mattress & drawer underneath
- Hanging locker w/ automatic light & aromatic cedar liner
- Cantalupi dome lights
- Cabin reading lights
- Laundry locker w/ louvered door
- Teak & holly sole
- Safe in hanging locker

19

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Formica finish ceiling lining & FRP bulkhead
- Cantalupi dome lights
- Vanity unit w/ integral wash basin
- Single lever hot / cold water shower faucet
- Teak removable grating panel for shower room
- Granite parquet in bathroom
- Teak grating for shower room

- Leaf style dining table seats 8 persons
- Loose chairs-8
- Cabinet storage below windows port and starboard
- Wood/mirror overhead lighting over the dining table area



- Twin Cummins QSM11 610 hp @ 2300rpm marine diesel engines
- Deluxe engine panel w/ complete instrumentation & alarms at each station.
- Engine overheat & low oil pressure alarm
- ZF electronic engine control system at each helm station
- Amartech stern tube system
- Amartech rope cutter
- Amartech rudder
- Centa marine coupling system
- Faster NiAlBr 4-blade propeller
- Reverso gear driven oil change pump
- FRP drip pan under engine
- Hydralift FRP wet box muffler
- Engine room blowers, dia. 5" 120/230V AC (4)
- Full protected FRP rudder w/ S/S #316 dia. 3" shaft
- S/S #316 pillars in engine room
- Fluorescent light for E/R, commissary & lazarette (120V / 230V)
- Watertight door to engine room

Teleflex power steering system for two stations

• 240V AC system



Find the perfect anchor for your boat

- Onan marine QD 50Hz 40kw MDDCF---Cruising genset
- Onan marine QD 50Hz 13.5kw MDKBP ---- Day genset
- Switch panel located in P/H, includes dedicated
 120 Amp / hr starting battery
- 200 Amp engine alternator
- Blue Sea emergency parallel switch
- Marinco shore power inlets fore & aft
- Marinco TV & Tel inlet fore & aft
- AC outlets throughout the boat
- Newmar integrated galvanic isolator
- Asko or Bosch separate washer / dryer located adjacent to Master cabin
- Torrid S/S 30 gallons 120V/ 240V AC dual heating source water heater 2 sets
- AC/DC control panel w/ polarity indicator lights, appropriate switches, meters & breakers
- GFCI outlet in head & F/B
- Copper bonding strap w/ ground cable attachment for each fitting
- Mastervolt or equivalent 3 x 24v/100 amp battery charger system
- Mastervolt or equivalent 3 x 24v/50 amp battery charger system for engine & genset start battery
- Mastervolt or equivalent 1 x 24v/5000 inverter unit
- Spare circuit breaker for optional Auto pilot system
- Raritan icemaker
- Frigoboat freezer system

Fuel System

- 24V DC system
- Aqua Signal navigation lights
- Kahlenberg D-01A air horn
- Johnson dual pump 24V DC automatic water pressure system X 2
- Exalto 24V DC electric wipers for 3 front windshields w/ fresh water wash
- Rule sump pumps w/ automatic float switches
- Vision AGM deep cycle batteries for house service-2400 AMP capacity. engine & generator starting
- Cantalupi accommodation dome lights
- Cantalupi step lights for interior & exterior
- Stereo speakers in master stateroom saloon, flybridge and aft deck area.

- Two FRP fuel tanks total 4000 US gal, w/ internal baffles, sumps, balancing lines, inspection plates
- Racor 75/1000Max dual fuel filter / water separator for main engine
- Racor 900MA fuel filter / water separator for generator
- Racor USCG & CE certified fuel line hose
- ESI CFS 100RE fuel polishing system
- Parker ball valve for fuel system
- Electric fuel gauge
- Magnetic sight gauge for each fuel tank
- Fuel management system
- Reverso OP7000il change pump

26

- Two FRP water tanks, total 700 US gallons
- One FRP holding tank w/ Y-valve & Johnson or similar macerator pump, deck discharge outlet & remote full display panel in master bathroom, total capacity 30 US gallons
- Electric water gauge
- Water piping system
- Sea cocks on all through hull fittings with double hose clamps
- Bronze basket type internal sea water strainer for main engine

- Anchor pocket
- Maxwell VWC4000 hydraulic vertical windlass
- (2 Units)
- Maxwell chain stopper
- S/S #316 self-launching anchor roller
- S/S #316 5" diameter Samson post
- S/S #316 hawse hole with cleat (8 units)
- Fresh water chain wash down
- Pilot house & fore deck windlass control switch



- Rule electric bilge pumps w/ automatic float switch
- Whale manual bilge pump
- Status panel w/ warning signal in helm station to warn of bilge pump operation

- "Marine Fire" fire suppression & air damper system
- Soundown E/R sound insulation system including damping tile, 3" sound insulation foam & Aluminum perforated plate
- Soundown Sylomer strip floating floor
- International Gel shield primer coating
- International anti-foul paint bottom paint
- International boot top line choice of colors
- Epifanes interior varnish
- Engine room FRP flooring
- Vimar outlet w/dimmer switch
- Compass

Additional Images





































